

GUNK ENGINE DEGREASANT(BRUSH ON)

Page: 1

Compilation date: 14/04/2015

Revision No: 1

### Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

#### Product name: GUNK ENGINE DEGREASANT(BRUSH ON)

Product code: 6732,6733,6738,6734,6735

1.2. Relevant identified uses of the substance or mixture and uses advised against

## 1.3. Details of the supplier of the safety data sheet

Company name: Granville Oil & Chemicals Ltd.

Unit 29 Goldthorpe Industrial Estate

Goldthorpe

Rotherham

South Yorkshire

- S63 9BL
- United Kingdom

Tel: +44 (0)1709 890099

Fax: +44 (0)1709 891121

Email: technical@granvilleoil.com

## 1.4. Emergency telephone number

Emergency tel: +44 (0)1709 890099

(office hours only)

# Section 2: Hazards identification

2.1. Classification of the substance or mixture		
Classification under CHIP:	-: R10; Xi: R38; N: R51/53; -: R67	
Classification under CLP: Aquatic Chronic 2: H411; Eye Irrit. 2: H319; Flam. Liq. 3: H226; Skin Irrit. 2:		
	SE 3: H336	
Nost important adverse effects:	Flammable. Irritating to skin. Toxic to aquatic organisms, may cause long-term adverse	
	effects in the aquatic environment. Vapours may cause drowsiness and dizziness.	
2.2. Label elements		
Label elements:		
Hazard statements:	H226: Flammable liquid and vapour.	
	H315: Causes skin irritation.	
	H319: Causes serious eye irritation.	

H336: May cause drowsiness or dizziness.

H411: Toxic to aquatic life with long lasting effects.

Signal words: Warning

# GUNK ENGINE DEGREASANT(BRUSH ON)

Page: 2

	Pag	e:
Hazard pictograms:	GHS02: Flame	
	GHS07: Exclamation mark	
	GHS09: Environmental	
Precautionary statements:	P102: Keep out of reach of children.	
	P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition	
	sources. No smoking.	
	P233: Keep container tightly closed.	
	P261: Avoid breathing dust/fumes/gas/mist/vapours/spray.	
	P264: Wash skin thoroughly after handling.	
	P271: Use only outdoors or in a well-ventilated area.	
	P273: Avoid release to the environment.	
	P280: Wear protective gloves/protective clothing/eye protection/face protection.	
	P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.	
	Rinse skin with water/shower.	
	P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
	P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove	
	contact lenses, if present and easy to do. Continue rinsing.	
	P332+313: If skin irritation occurs: Get medical advice/attention.	
	P337+313: If eye irritation persists: Get medical advice/attention.	
	P403+233: Store in a well-ventilated place. Keep container tightly closed.	
Label elements under CHIP:		
Hazard symbols:	Irritant.	
	Dangerous for the environment.	
Risk phrases:	R10: Flammable.	
	R38: Irritating to skin.	
	R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic	
	environment.	
	R67: Vapours may cause drowsiness and dizziness.	
Safety phrases:	S61: Avoid release to the environment. Refer to special instructions / safety data sheets.	
2.3. Other hazards		
Other hazards:	In use, may form flammable / explosive vapour-air mixture.	

**PBT:** This product is not identified as a PBT/vPvB substance.

# GUNK ENGINE DEGREASANT(BRUSH ON)

Page: 3

#### Section 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients:

KEROSINE - REACH registered number(s): 01-2119462828-25-0039

EINECS	CAS	CHIP Classification	CLP Classification	Percent
265-184- 9/294-799-5	64742-81-0	-: R10; Xi: R38; N: R51/53; Xn: R65; -: R67	Flam. Liq. 3: H226; Skin Irrit. 2: H315; STOT SE 3: H336; Aquatic Chronic 2: H411; Asp. Tox. 1: H304	70-90%

#### DODECYLBENZENESULPHONIC ACID, COMPOUND WITH ISOPROPYLAMINE (1:1)

247-556-2	26264-05-1	Xn: R22; Xi: R38; Xi: R41	Eye Dam. 1: H318; Acute Tox. 4: H302;	1-10%	
			Skin Irrit. 2: H315		

# Section 4: First aid measures

#### 4.1. Description of first aid measures

**Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

**Ingestion:** Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

#### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

# 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

# Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Alcohol resistant foam. Water spray. Carbon dioxide. Dry chemical powder. Use water

spray to cool containers.

#### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: Flammable. In combustion emits toxic fumes. Forms explosive air-vapour mixture.

Vapour may travel considerable distance to source of ignition and flash back.

# GUNK ENGINE DEGREASANT(BRUSH ON)

	Fage. 4
5.3. Advice for fire-fighters	
Advice for fire-fighters:	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.
Section 6: Accidental release	measures
6.1. Personal precautions, pre	otective equipment and emergency procedures
Personal precautions:	Refer to section 8 of SDS for personal protection details. If outside do not approach from
	downwind. If outside keep bystanders upwind and away from danger point. Mark out the
	contaminated area with signs and prevent access to unauthorised personnel. Turn
	leaking containers leak-side up to prevent the escape of liquid. Eliminate all sources of
	ignition.
6.2. Environmental precaution	-
Environmental precautions:	Do not discharge into drains or rivers. Contain the spillage using bunding.
6.3. Methods and material for	containment and cleaning up
Clean-up procedures:	Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for
	disposal by an appropriate method. Do not use equipment in clean-up procedure which
	may produce sparks.
6.4. Reference to other section	ns
Reference to other sections:	Refer to section 8 of SDS.
Section 7: Handling and stor	age
7.1. Precautions for safe hand	dling
Handling requirements:	Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.
•	Do not handle in a confined space. Avoid the formation or spread of mists in the air.
	Smoking is forbidden. Use non-sparking tools.
7.2. Conditions for safe stora	ge, including any incompatibilities
Storage conditions:	Store in a cool, well ventilated area. Keep container tightly closed. Keep away from
	sources of ignition. Prevent the build up of electrostatic charge in the immediate area.
	Ensure lighting and electrical equipment are not a source of ignition.
Suitable packaging:	Must only be kept in original packaging.
7.3. Specific end use(s)	
Specific end use(s):	No data available.
Section 8: Exposure controls	/personal protection

# 8.1. Control parameters

Workplace exposure limits: No data available.

# GUNK ENGINE DEGREASANT(BRUSH ON)

#### **DNEL/PNEC** Values

### Hazardous ingredients:

#### KEROSINE

Туре	Exposure	Value	Population	Effect
DNEL	Oral	19 mg/kg	General Population	Systemic

#### 8.2. Exposure controls

Engineering measures:Ensure there is sufficient ventilation of the area. Ensure lighting and electrical<br/>equipment are not a source of ignition.Respiratory protection:Self-contained breathing apparatus must be available in case of emergency.Hand protection:Protective gloves.Eye protection:Safety glasses. Ensure eye bath is to hand.Skin protection:Protective clothing.

#### Section 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Red

Odour: Characteristic odour

Flash point°C: >38

#### 9.2. Other information

Other information: No data available.

#### Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

#### 10.2. Chemical stability

Chemical stability: Stable under normal conditions. Stable at room temperature.

## 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

### 10.4. Conditions to avoid

Conditions to avoid: Heat. Hot surfaces. Sources of ignition. Flames.

## 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids. Bases.

## GUNK ENGINE DEGREASANT(BRUSH ON)

#### 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

### Section 11: Toxicological information

#### 11.1. Information on toxicological effects

#### Relevant effects for mixture:

Effect	Route	Basis
Irritation	DRM	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

# Section 12: Ecological information

### 12.1. Toxicity

Ecotoxicity values: No data available.

## 12.2. Persistence and degradability

#### Persistence and degradability: Only slightly biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: No data available.

#### 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

# Section 13: Disposal considerations

#### 13.1. Waste treatment methods

 Disposal operations:
 Transfer to a suitable container and arrange for collection by specialised disposal company.

 Disposal of packaging:
 Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.

 NB:
 The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

# GUNK ENGINE DEGREASANT(BRUSH ON)

Page: 7

Marine pollutant: Yes

### Section 14: Transport information

14.1. UN number

UN number: UN1993

#### 14.2. UN proper shipping name

Shipping name: FLAMMABLE LIQUID, N.O.S.

14.3. Transport hazard class(es)

Transport class: 3

14.4. Packing group

Packing group: III

14.5. Environmental hazards

Environmentally hazardous: Yes

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: D/E

Transport category: 3

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

### Section 16: Other information

#### Other information

Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	453/2010.
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3:	H226: Flammable liquid and vapour.
	H302: Harmful if swallowed.
	H304: May be fatal if swallowed and enters airways.
	H315: Causes skin irritation.
	H318: Causes serious eye damage.
	H319: Causes serious eye irritation.
	H336: May cause drowsiness or dizziness.
	H411: Toxic to aquatic life with long lasting effects.

# GUNK ENGINE DEGREASANT(BRUSH ON)

Page: 8

R10: Flammable.R22: Harmful if swallowed.R38: Irritating to skin.R41: Risk of serious damage to eyes.R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic<br/>environment.R65: Harmful: may cause lung damage if swallowed.R67: Vapours may cause drowsiness and dizziness.Legal disclaimer:The above information is believed to be correct but does not purport to be all inclusive<br/>and shall be used only as a guide. This company shall not be held liable for any<br/>damage resulting from handling or from contact with the above product.