

Safety Data Sheet according to Regulation (EC) No. 453/2010 Date of issue: 25/02/2015 Revision date:

Version: 1.0

:

Signal word (CLP)		Danger		
		GHS02 GHS07 : Danger		
Labelling according to Re Hazard pictograms (CLP)	egulation (EC) No. 1	1272/2008 [CLP]		
2.2. Label elements				
No additional information a	vailable			
Adverse physicochemica		d environmental effects		
Full text of R-phrases: see	section 16			
R43	anation 10			
Xi; R36/38				
Xn; R20/21				
	o Directive 67/548/	EEC [DSD] or 1999/45/EC [DPD	I	
Full text of H-phrases: see	section 16			
Aquatic Chronic 3	H412			
STOT SE 3	H336			
Skin Sens. 1	H317			
Eye Irrit. 2	H319			
Skin Irrit. 2	H315			
Acute Tox. 4 (Inhalation:gas				
Acute Tox. 4 (Dermal)	H312			
Liquefied gas	H280			
Aerosol 1	H222;H229	ter in the second second		
Classification according t	o Regulation (EC)	No. 1272/2008 [CLP]		
	the substance or	mixture		
SECTION 2: Hazards	identification			
Emergency number		: +44 1933 230310 (07:30 - 1	7:00hrs UK time)	
1.4. Emergency telep	ohone number			
1 +44 (0) 1933 230310 - F technical.department@u-po				
NN8 2QH Wellingborough - T +44 (0) 1933 230310 - F	UK +44 (0) 1033 42570	7		
Northants				
U-POL LIMITED Denington Road				
	pplier of the safety	data sheet		
No additional information av				
1.2.2. Uses advised ag				
Function or use category		: Aerosol		
		For professional use only		
Industrial/Professional use		: Industrial		
1.2.1. Relevant identifi				
1.2. Relevant identifi	ed uses of the sub	stance or mixture and uses ad	ised against	
Product group		: Aerosol		
Vaporizer		: Aerosol		
Product name		: Z182/AL		
I.1.         Product identifie           Product form         Product form	21 21	: Mixture		

#### Safety Data Sheet

according to Regulation (EC) No. 453/2010

Hazardous ingredients	: HYDROCARBONS C9 - 10 N-ALKANES, ISOALKANES, CYCLICS, AROMATICS, 2- methylpropan-1-ol, iso-butanol, toluene, Acetone
Hazard statements (CLP)	<ul> <li>H222 - Extremely flammable aerosol</li> <li>H229 - Pressurised container: May burst if heated</li> <li>H280 - Contains gas under pressure; may explode if heated</li> <li>H312+H332 - Harmful in contact with skin or if inhaled</li> <li>H315 - Causes skin irritation</li> <li>H317 - May cause an allergic skin reaction</li> <li>H319 - Causes serious eye irritation</li> <li>H336 - May cause drowsiness or dizziness</li> <li>H412 - Harmful to aquatic life with long lasting effects</li> </ul>
Precautionary statements (CLP)	<ul> <li>P211 - Do not spray on an open flame or other ignition source</li> <li>P251 - Do not pierce or burn, even after use</li> <li>P261 - Avoid breathing spray, vapours</li> <li>P280 - Wear eye protection, protective clothing, protective gloves</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing</li> <li>P312 - Call a doctor if you feel unwell</li> </ul>
EUH phrases	: EUH208 - Contains dipentene. May produce an allergic reaction
No labelling applicable	

#### 2.3. Other hazards

No additional information available

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substance

- Not applicable
- 3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC
dimethyl ether substance with a Community workplace exposure limit	(CAS No) 115-10-6 (EC no) 204-065-8 (EC index no) 603-019-00-8	23 - 43	F+; R12
Acetone	(CAS No) 67-64-1 (EC no) 200-662-2 (EC index no) 606-001-00-8	23 - 43	F; R11 Xi; R36 R66 R67
xylene	(CAS No) 1330-20-7 (EC no) 215-535-7 (EC index no) 601-022-00-9	5 - 23	R10 Xn; R20/21 Xi; R38
ethylbenzene	(CAS No) 100-41-4 (EC no) 202-849-4 (EC index no) 601-023-00-4	< 5	F; R11 Xn; R20
HYDROCARBONS C9 - 10 N-ALKANES, ISOALKANES, CYCLICS, AROMATICS	(EC no) 927-344-2	< 5	Xn; R65 R10 R66 R67 R52/53
trizinc bis(orthophosphate)	(CAS No) 7779-90-0 (EC no) 231-944-3 (EC index no) 030-011-00-6	< 5	N; R50/53
dipentene	(CAS No) 138-86-3 (EC no) 205-341-0 (EC index no) 601-029-00-7	< 5	R10 Xi; R38 R43 N; R50/53
COBALT BIS(2-ETHYLHEXANOATE)	(CAS No) 136-52-7	< 5	Repr.Cat.3; R62 R43 N; R50/53
Name	Product identifier	Specific c	oncentration limits
xylene	(CAS No) 1330-20-7 (EC no) 215-535-7 (EC index no) 601-022-00-9	(C >= 12.5) Xn;R20/21	
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
dimethyl ether substance with a Community workplace exposure limit	(CAS No) 115-10-6 (EC no) 204-065-8 (EC index no) 603-019-00-8	23 - 43	Flam. Gas 1, H220 Press. Gas
8/04/2015 EN	l (English)	SDS Ref.: Z18	2/AL 2/1

### Safety Data Sheet

according to Regulation (EC) No. 453/2010

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Acetone	(CAS No) 67-64-1 (EC no) 200-662-2 (EC index no) 606-001-00-8	23 - 43	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
xylene	(CAS No) 1330-20-7 (EC no) 215-535-7 (EC index no) 601-022-00-9	5 - 23	Flam. Liq. 3, H226 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315
ethylbenzene	(CAS No) 100-41-4 (EC no) 202-849-4 (EC index no) 601-023-00-4	< 5	Flam. Liq. 2, H225 Acute Tox. 4 (Inhalation), H332 STOT RE 2, H373 Asp. Tox. 1, H304
HYDROCARBONS C9 - 10 N-ALKANES, ISOALKANES, CYCLICS, AROMATICS	(EC no) 927-344-2	< 5	STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 3, H412
trizinc bis(orthophosphate)	(CAS No) 7779-90-0 (EC no) 231-944-3 (EC index no) 030-011-00-6	< 5	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
dipentene	(CAS No) 138-86-3 (EC no) 205-341-0 (EC index no) 601-029-00-7	< 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
COBALT BIS(2-ETHYLHEXANOATE)	(CAS No) 136-52-7	< 5	Skin Sens. 1, H317 Repr. 2, H361f Aquatic Acute 1, H400 Aquatic Chronic 1, H410

#### Full text of R- and H-phrases: see section 16

4.1. Description of first aid measure	S	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you advice (show the label where possible).	feel unwell, seek medical
First-aid measures after inhalation	<ul> <li>Remove victim to fresh air and keep at rest in a position comfort POISON CENTER or doctor/physician if you feel unwell.</li> </ul>	able for breathing. Call a
First-aid measures after skin contact	: Immediately call a POISON CENTER or doctor/physician. Wash Wash contaminated clothing before reuse. If skin irritation occur Get medical advice/attention. If skin irritation or rash occurs: Ge	s: Get medical advice/attention
First-aid measures after eye contact	<ul> <li>Rinse cautiously with water for several minutes. Remove contac do. Continue rinsing. If eye irritation persists: Get medical advice advice/attention.</li> </ul>	
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency med	ical attention.
4.2. Most important symptoms and	effects, both acute and delayed	
Symptoms/injuries after inhalation	: Danger of serious damage to health by prolonged exposure thro inhaled. May cause an allergic skin reaction. May cause drowsin	
Symptoms/injuries after skin contact	: Repeated exposure to this material can result in absorption thro health hazard. Harmful in contact with skin. Causes skin irritatio	
Symptoms/injuries after eye contact	: Causes serious eye irritation.	
4.3. Indication of any immediate me	dical attention and special treatment needed	
No additional information available		
SECTION 5: Firefighting measure	es	
5.1. Extinguishing media		
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.	
Unsuitable extinguishing media	: Do not use a heavy water stream.	
5.2. Special hazards arising from th	e substance or mixture	
No additional information available		
5.3. Advice for firefighters		
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise chemical fire. Prevent fire-fighting water from entering environm	
Protection during firefighting	: Do not enter fire area without proper protective equipment, inclu	iding respiratory protection.
SECTION 6: Accidental release n	neasures	
6.1. Personal precautions, protectiv	e equipment and emergency procedures	
General measures	: Remove ignition sources. No open flames. No smoking.	
28/04/2015	EN (English) SDS Ref.: Z182/AL	3/*

### Safety Data Sheet

according to Regulation (EC) No. 453/2010	
6.1.1. For non-emergency personnel	
Protective equipment	: Safety glasses. Protective clothing. Gloves.
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection. Avoid breathing spray, vapours.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Prevent entry to sewers and public waters. Notif	y authorities if liquid enters sewers or public waters. Avoid release to the environment.
6.3. Methods and material for containme	ent and cleaning up
For containment	: Contain leaking substance. Collect spillage.
Methods for cleaning up	: Store away from other materials.
6.4. Reference to other sections	
See Heading 8. Exposure controls and personal	protection. For further information refer to section 13.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Use only outdoors or in a well-ventilated area. Avoid breathing spray, vapours.
Hygiene measures	: Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, includi	the second se
·· 3-,	ing any incompatibilities
Storage conditions	<ul> <li>: Keep only in the original container in a cool, well ventilated place away from : Ignition sources, Heat sources, Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed.</li> </ul>
	: Keep only in the original container in a cool, well ventilated place away from : Ignition sources, Heat sources, Keep away from heat, hot surfaces, sparks, open flames and other ignition
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Ignition sources, Heat sources, Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed.
Storage conditions	<ul> <li>Keep only in the original container in a cool, well ventilated place away from : Ignition sources, Heat sources, Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed.</li> <li>Strong bases. Strong acids.</li> </ul>
Storage conditions Incompatible products Incompatible materials	<ul> <li>Keep only in the original container in a cool, well ventilated place away from : Ignition sources, Heat sources, Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed.</li> <li>Strong bases. Strong acids.</li> <li>Sources of ignition. Direct sunlight.</li> </ul>
Storage conditions Incompatible products Incompatible materials Storage temperature	<ul> <li>Keep only in the original container in a cool, well ventilated place away from : Ignition sources, Heat sources, Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed.</li> <li>Strong bases. Strong acids.</li> <li>Sources of ignition. Direct sunlight.</li> <li>&lt; 25 °C</li> </ul>

No additional information available

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

ethylbenzene (100-41-4)		
EU	Local name	Ethylbenzene
EU	IOELV TWA (mg/m <sup>3</sup> )	442 mg/m <sup>3</sup>
EU	IOELV TWA (ppm)	100 ppm
EU	IOELV STEL (mg/m <sup>3</sup> )	884 mg/m³
EU	IOELV STEL (ppm)	200 ppm
EU	Notes	Skin
United Kingdom	Local name	Ethylbenzene
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	441 mg/m³
United Kingdom	WEL TWA (ppm)	100 ppm
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	552 mg/m³
United Kingdom	WEL STEL (ppm)	125 ppm
United Kingdom	Remark (WEL)	Sk
xylene (1330-20-7)		
EU	Local name	Xylene, mixed isomers, pure
EU	IOELV TWA (mg/m <sup>3</sup> )	221 mg/m <sup>3</sup>
EU	IOELV TWA (ppm)	50 ppm
EU	IOELV STEL (mg/m <sup>3</sup> )	442 mg/m <sup>3</sup>
EU	IOELV STEL (ppm)	100 ppm
EU	Notes	Skin
United Kingdom	Local name	Xylene, o-,m-,p- or mixed isomers
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	220 mg/m <sup>3</sup>
United Kingdom	WEL TWA (ppm)	50 ppm
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	441 mg/m <sup>3</sup>
28/04/2015	EN (English)	SDS Dof - 7192/Al 4/14

### Safety Data Sheet

according to Regulation (EC) No. 453/2010

xylene (1330-20-7)			
United Kingdom	WEL STEL (ppm)	100 ppm	
United Kingdom	Remark (WEL)	Sk, BMGV	
Acetone (67-64-1)			
EU	Local name	Acetone	
EU	IOELV TWA (mg/m <sup>3</sup> )	1210 mg/m <sup>3</sup>	
EU	IOELV TWA (ppm)	500 ppm	
United Kingdom	Local name	Acetone	
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	1210 mg/m <sup>3</sup>	
United Kingdom	WEL TWA (ppm)	500 ppm	
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	3620 mg/m <sup>3</sup>	
United Kingdom	WEL STEL (ppm)	1500 ppm	
dimethyl ether (115-10-6)			
EU	Local name	Dimethylether	
EU	IOELV TWA (mg/m <sup>3</sup> )	1920 mg/m <sup>3</sup>	
EU	IOELV TWA (ppm)	1000 ppm	
United Kingdom	Local name	Dimethyl ether	
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	766 mg/m <sup>3</sup>	
United Kingdom	WEL TWA (ppm)	400 ppm	
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	958 mg/m³	
United Kingdom	WEL STEL (ppm)	500 ppm	

8.2. Exposure controls	
Personal protective equipment	: Avoid all unnecessary exposure.
Materials for protective clothing	: Impermeable clothing
Hand protection	: Wear protective gloves
Eye protection	: Chemical goggles or safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. Wear appropriate mask
Other information	: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Gas	
Appearance	: Aerosol.	
Colour	: Light grey.	
Odour	: characteristic.	
Odour threshold	: No data available	
рН	: No data available	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: Non flammable	
Vapour pressure	: No data available	
Relative vapour density at 20 °C	: No data available	
Relative density	: No data available	
Solubility	: Immiscible with water. soluble in most organic solvents.	
Log Pow	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosive properties	: No data available	

# Safety Data Sheet according to Regulation (EC) No. 453/2010

according to Regulation (EC) No. 453/2010			
Oxidising properties	: No data available		
Explosive limits	: No data available		
9.2. Other information			
VOC content	: 679 g/l		
MIR	: 1.55		
Gas group	: Liquefied gas		
SECTION 10: Stability and reactivity			
10.1. Reactivity			
No additional information available			
10.2. Chemical stability			
Not established.			
10.3. Possibility of hazardous reactions			
Not established.			
10.4. Conditions to avoid	10.4. Conditions to avoid		
Direct sunlight. Extremely high or low temperature	<b>∋</b> S.		
10.5. Incompatible materials			
Strong acids. Strong bases.			
10.6. Hazardous decomposition products			
fume. Carbon monoxide. Carbon dioxide.			
SECTION 11: Toxicological informati	on		
11.1. Information on toxicological effects			
Acute toxicity	: Dermal: Harmful in contact with skin. Inhalation:gas: Harmful if inhaled.		
ATE CLP (dermal)	1100 mg/kg bodyweight		
ATE CLP (gases)	4500 ppmv/4h		
Skin corrosion/irritation	: Causes skin irritation.		
Serious eye damage/irritation	: Causes serious eye irritation.		
Respiratory or skin sensitisation	: May cause an allergic skin reaction.		
Germ cell mutagenicity	: Not classified		
	Based on available data, the classification criteria are not met		
Carcinogenicity	: Not classified		
	Based on available data, the classification criteria are not met		

Specific target organ toxicity (single exposure)	<ul><li>Based on available data, the classification criteria are not met</li><li>May cause drowsiness or dizziness.</li></ul>
Specific target organ toxicity (repeated exposure)	: Not classified Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified Based on available data, the classification criteria are not met
Z182/AL	
Vaporizer	Aerosol
Potential adverse human health effects and symptoms	: Harmful in contact with skin. Harmful if inhaled.
<b>SECTION 12: Ecological information</b>	
12.1. Toxicity	
Ecology - water	: Harmful to aquatic life with long lasting effects.

: Not classified

12.2.	2.2. Persistence and degradability				
Z182/AL					
Persistence and degradability		May cause long-term adverse effects in the environment.			
trizinc bis(orthophosphate) (7779-90-0)					
Persistence and degradability		Not established.			

Reproductive toxicity

# Safety Data Sheet according to Regulation (EC) No. 453/2010

ccording to Regulation (EC) No. 453/2010			
12.3. Bioaccumulative potential			
Z182/AL			
Bioaccumulative potential	Not established.		
trizinc bis(orthophosphate) (7779-90-0)			
Bioaccumulative potential	Not established.		
2.4. Mobility in soil			
No additional information available			
12.5. Results of PBT and vPvB assess	ment		
No additional information available			
12.6. Other adverse effects			
Additional information	: Avoid release to the env	ronment	
SECTION 13: Disposal considerat	ions		
13.1. Waste treatment methods	<b>S</b> 1 1 1 1		
Regional legislation (waste)		ccording to official regulations.	-4
Waste disposal recommendations	contents/container to Re	r in accordance with local/national regulations. Dispose move waste in accordance with local and/or national reg	ulations.
Ecology - waste materials	: Avoid release to the env		,
SECTION 14: Transport information			
In accordance with ADR / RID / IMDG / IATA	/ ADN		
14.1. UN number			
UN-No. (ADR)	: 1950		
JN-No. (IMDG)	: 1950		
UN-No.(IATA)	: 1950		
UN-No.(ADN)	: 1950		
JN-No. (RID)	: 1950		
14.2. UN proper shipping name			
Proper Shipping Name (ADR)	: AEROSOLS		
Proper Shipping Name (IMDG) Proper Shipping Name (IATA)	: AEROSOLS : Aerosols, flammable		
Proper Shipping Name (ADN)	: AEROSOLS		
Proper Shipping Name (RID)	: AEROSOLS		
Transport document description (ADR)	: UN 1950 AEROSOLS, 2	1, (D)	
Transport document description (IMDG)	: UN 1950 AEROSOLS, 2		
14.3. Transport hazard class(es)			
ADR			
Transport hazard class(es) (ADR)	: 2.1		
Danger labels (ADR)	: 2.1		
	:		
	2		
MDG			
Transport hazard class(es) (IMDG)	: 2.1		
Danger labels (IMDG)	: 2.1		
	·		
	2		
	V		
IATA			
Transport hazard class(es) (IATA)	: 2.1		
28/04/2015	EN (English)	SDS Ref.: Z182/AL	7/11
-0/0 <del>1</del> /2013		SUS REL. Z IOZ/AL	7/11

Safety Data Sheet

ADN Transport hazard class(es) (ADN)	: 2 : 2.1		
Transport hazard class(es) (ADN)			
Transport hazard class(es) (ADN)			
Transport hazard class(es) (ADN)			
Transport hazard class(es) (ADN)			
Transport hazard class(es) (ADN)			
Danger labels (ADN)	: 2.1		
	:		
	V		
RID			
Transport hazard class(es) (RID)	: 2.1		
Danger labels (RID)	: 2.1		
	· •		
	2		
14.4. Packing group			
Packing group (ADR)	: Not applicable		
Packing group (IMDG)	: Not applicable		
Packing group (IATA)	: Not applicable		
Packing group (ADN)	: Not applicable		
Packing group (RID)	: Not applicable		
14.5. Environmental hazards			
Dangerous for the environment	: No		
Marine pollutant	: No		
Other information	: No supplementary information availa	able	
14.6. Special precautions for user			
14.6.1. Overland transport			
Classification code (ADR)	: 5F		
Special provisions (ADR)	: 190, 327, 344, 625		
Limited quantities (ADR)	: 11		
Excepted quantities (ADR)	: E0		
Packing instructions (ADR)	: P207, LP02		
Special packing provisions (ADR)	: PP87, RR6, L2		
Mixed packing provisions (ADR)	: MP9		
Transport category (ADR)	: 2		
Special provisions for carriage - Packages (ADR)	: V14		
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV9, CV12		
Special provisions for carriage - Operation (ADR)	: S2		
Tunnel restriction code (ADR)	: D		
14.6.2. Transport by sea			
Special provisions (IMDG)	: 63, 190, 277, 327, 344, 959		
Limited quantities (IMDG)	: SP277		
Excepted quantities (IMDG)	: E0		
28/04/2015	EN (English)	SDS Ref.: Z182/AL	8/11

#### Safety Data Sheet

according to Regulation (EC) No. 453/2010

Packing instructions (IMDG)	: P207, LP02
Special packing provisions (IMDG)	: PP87, L2
EmS-No. (Fire)	: F-D
EmS-No. (Spillage)	: S-U
Stowage category (IMDG)	: None
Stowage and segregation (IMDG)	Protected from sources of heat For AEROSOLS with a maximum capacity of 1 litre: Category A. Segregation as for class 9 but 'Separated from' class 1 except division 1.4. For AEROSOLS with a capacity above 1 litre: Category B. Segregation as for the appropriate sub-division of class 2. For WASTE AEROSOLS: Category C. Clear of living quarters. Segregation as for the appropriate sub-division of class 2.
14.6.3. Air transport	
PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A145, A167
ERG code (IATA)	: 10L
14.6.4. Inland waterway transport	
Classification code (ADN)	: 5F
Special provisions (ADN)	: 19, 327, 344, 625
Limited quantities (ADN)	: 1L
Excepted quantities (ADN)	
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01, VE04
Number of blue cones/lights (ADN)	: 1 · No
Carriage prohibited (ADN)	: No : No
Not subject to ADN	. NO
14.6.5. Rail transport	
Classification code (RID)	: 5F
Special provisions (RID)	: 190, 327, 344, 625
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P207, LP02
Special packing provisions (RID)	: PP87, RR6, L2
Mixed packing provisions (RID)	: MP9
Transport category (RID)	: 2
Special provisions for carriage – Packages (RID)	: W14
Special provisions for carriage - Loading, unloading and handling (RID)	: CW9, CW12
Colis express (express parcels) (RID)	: CE2
Hazard identification number (RID)	: 23
Carriage prohibited (RID)	: No

Not applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1.

#### 15.1.1. **EU-Regulations**

Contains no substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

#### VOC content

: 679 g/l

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Seveso Information

: This product is subject to the Seveso Directive

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### **SECTION 16: Other information** REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE Data sources COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. Other information : None. Full text of R-, H- and EUH-phrases: Acute Tox. 4 (Dermal) Acute toxicity (dermal), Category 4 Acute Tox. 4 (Inhalation) Acute toxicity (inhal.), Category 4 Acute Tox. 4 (Inhalation:dust,mist) Acute toxicity (inhalation:dust,mist) Category 4 Acute Tox. 4 (Inhalation:gas) Acute toxicity (inhalation:gas) Category 4 Aerosol 1 Aerosol, Category 1 Aquatic Acute 1 Hazardous to the aquatic environment - Acute Hazard, Category 1 Aquatic Chronic 1 Hazardous to the aquatic environment - Chronic Hazard, Category 1 Aquatic Chronic 3 Hazardous to the aquatic environment - Chronic Hazard, Category 3 Asp. Tox. 1 Aspiration hazard, Category 1 Eve Irrit. 2 Serious eye damage/eye irritation, Category 2 Flam. Gas 1 Flammable gases, Category 1 Flammable liquids, Category 2 Flam. Liq. 2 Flammable liquids, Category 3 Flam. Liq. 3 Liquefied gas Gases under pressure : Liquefied gas Press. Gas Gases under pressure Repr. 2 Reproductive toxicity, Category 2 Skin Irrit. 2 Skin corrosion/irritation, Category 2 Sensitisation - Skin, category 1 Skin Sens. 1 STOT RE 2 Specific target organ toxicity - Repeated exposure, Category 2 STOT SE 3 Specific target organ toxicity - Single exposure, Category 3, Narcosis H220 Extremely flammable gas H222 Extremely flammable aerosol Highly flammable liquid and vapour H225 H226 Flammable liquid and vapour Pressurised container: May burst if heated H229 H280 Contains gas under pressure; may explode if heated May be fatal if swallowed and enters airways H304 H312 Harmful in contact with skin H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H332 Harmful if inhaled H336 May cause drowsiness or dizziness H361f Suspected of damaging fertility

H373 H400

H410 H412

R10

R11

R12

R20

EUH208

Very toxic to aquatic life

Flammable

Highly flammable

Extremely flammable

Harmful by inhalation

Very toxic to aquatic life with long lasting effects

Harmful to aquatic life with long lasting effects

Contains . May produce an allergic reaction

Harmful by inhalation and in contact with skin

May cause damage to organs through prolonged or repeated exposure

### Safety Data Sheet

according to Regulation (EC) No. 453/2010

R36	Irritating to eyes
R36/38	Irritating to eyes and skin
R38	Irritating to skin
R43	May cause sensitisation by skin contact
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R62	Possible risk of impaired fertility
R65	Harmful: may cause lung damage if swallowed
R66	Repeated exposure may cause skin dryness or cracking
R67	Vapours may cause drowsiness and dizziness
F	Highly flammable
F+	Extremely flammable
N	Dangerous for the environment
Xi	Irritant
Xn	Harmful

#### UPOL SDS EU (no product code)

For professional use only. The information contained within this Safety Data Sheet (SDS) is believed to be correct as of the date issued however it is subject to change from time to time. It does not purport to be all inclusive or exhaustive and shall only be used as a guide. U-POL makes no warranties, expressed or implied, including but not limited to, any implied warranty of fitness for a given purpose or usage. It is the Buyers responsibility to ensure the suitability of the products for their own use and to check the information is up to date. U-POL cannot be held responsible for the suitability of use for any of its products, considering the wide range of factors such as application, substrates and handling methods. Since these conditions of use are outside of our control, the company shall not be held liable for any damage resulting from handling or from contact with the product detailed. Moreover, addition of reducers, hardeners or other additives over and above U-POL's recommendations for use, may substantially alter the composition and hazards of the product. U-POL data sheets are available via the U-POL website at WWW.U-POL.COM.