SAFETY AND PRODUCT SPECIFICATION SHEETS

MATERIALS SAFETY DATA BULLETIN (MSDB)

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME Lubricants: CENTRAL HYDRAULIC FLUID (CHF 11S)

SUPPLIER: Wynn Oil UK, a division of ITW Ltd

Unit 3, Shipton Way Express Business Park

Rushden

Northamptonshire

NN10 6GL

Emergency Tel: 01933 354596

2. COMPOSITION/INFORMATION IN INGREDIENTS

INGREDIENTS CONSIDERED HAZARDOUS TO HEALTH:

This product is not hazardous as defined by the EC Dangerous Substances/Preparations Directives.

3. HAZARDS IDENTIFICATION

EFFECTS OF OVER EXPOSURE: No significant effects expected.

4. FIRST AID MEASURES

EYE CONTACT: Flush thoroughly with water. If irritation occurs, call a doctor.

SKIN CONTACT: Wash contact areas with soap and water.

INHALATION: Not expected to be a problem.

INGESTION: Not expected to be a problem. However, if greater

than 1/2 litre (pint) is ingested or feeling

uncomfortable, give 1 to 2 glasses of water and obtain medical attention or call an ambulance for assistance. DO NOT INDUCE VOMITING or give anything by mouth to an unconscious person.

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Carbon dioxide, foam, dry chemical and water fog.

SPECIAL FIRE FIGHTING

PROCEDURES: Water or foam may cause frothing. Use water to

keep fire exposed containers cool. Water may be used to flush spills away from exposures. Prevent runoff from fire control or dilution from entering

waterways or drinking water supply.

SPECIAL PROTECTIVE

EQUIPMENT: For fires in enclosed areas, fire-fighters MUST use

self-contained breathing apparatus.

USUAL FIRE AND

EXPLOSION HAZARDS: None.

NFPA HAZARD ID Health: 0, Flammability: 1, Reactivity: 0

6. ACCIDENTAL RELEASE MEASURES

NOTIFICATION PROCEDURES: Report spills as requested to appropriate authorities such as the local Environmental Health Officer or Fire Brigade. If spills are likely to enter any drain, waterways or ground water, contact the Area Water Authority. In case of accident or road spill, contact the Police and Fire Brigade and, if appropriate, the Area Water Authority.

PROCEDURE IF MATERIAL IS RELEASED OR SPILLED: Contain and absorb on fire retardant treated sawdust, diatomaceous earth etc. Shovel up and dispose of at an appropriate licensed waste disposal site in accordance with current applicable laws and regulations and product characteristics at time of disposal.

ENVIRONMENTAL PRECAUTIONS: Prevent spills from entering storm sewers or drains and contact with soil.

PERSONAL PRECAUTIONS: See Section 8

7. HANDLING AND STORAGE

HANDLING: No special precautions are necessary beyond normal good hygiene practices. See section 8 for additional personal protection advice when handling this product.

STORAGE: Do not store in open or unlabelled containers. Store away from strong oxidising agents or combustible material.

FURTHER ADVICE: Used engine crankcase lubricants contain harmful contaminants. Because of the effects observed in laboratory tests (see section 11), all persons who regularly handle engine oil, such as engine mechanics and service station workers should take precautions to minimise contact with the oil. Good personal hygiene practices MUST be followed. Wash thoroughly any skin contact areas with soap and water. Remove oil soaked clothing and discard oil soaked shoes

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

VENTILATION: No special requirements under ordinary conditions of use

and with adequate ventilation.

RESPIRATORY

PROTECTION: No special requirements under ordinary conditions of use

and with adequate ventilation.

EYE PROTECTION: Normal industrial eye protection practices should be

employed.

SKIN PROTECTION: No special equipment required. However, good personal

hygiene practices should always be followed.

EXPOSURE LIMITS: This product does not contain any components which have

recognised exposure limits. However, a threshold limit

value of 5.00 mg/m3 is suggested for oil mist.

9. PHYSICAL AND CHEMICAL PROPERTIES.

Typical physical properties are given below. Consult Product Data Sheet for specific details.

PHYSICAL STATE LIQUID COLOUR **AMBER ODOUR TYPICAL** PH N/A **BOILING POINT** N/A **MELTING POINT** N/A **FLASH POINT** 220 deg C **FLAMMABILITY** N/A **AUTO FLAMMABILITY** N/A **EXPLOSIVE PRO** N/A **OXIDISING PROP** N/A VAPOUR PRESSURE N/A RELATIVE DENSITY 0.886 **SOLUBILITY IN WATER INSOLUBLE**

PARTITION COEFFICIENT N/A

VISCOSITY @ 40 DEG C 104 CENTISTOKES VISCOSITY @ 100 DEG C 14.3 CENTISTOKES

POUR POINT -28 DEG C

FOR FURTHER TECHNICAL INFORMATION, CONTACT YOUR MARKETING REPRESENTATIVE.

10 STABILITY AND REACTIVITY

STABILITY (THERMAL. LIGHT ETC. Stable CONDITIONS TO AVOID: Extreme heat

INCOMPATIBILITY (MATERIALS TO AVOID): Strong oxidisers
HAZARDOUS DECOMPOSITION PRODUCTS: Metal oxides. Carbon monoxides.

Elemental oxides.

HAZARDOUS POLYMERISATION: Will not occur

11 TOXICOLOGICAL DATA

----- ACUTE TOXICOLOGY-----

ORAL TOXICITY Practically non-toxic (LD50: greater than

2000mg/kg.)

Based on testing of similar products and/or the

components.

DERMAL TOXICITY Practically non-toxic (LD50: greater than

2000mg/kg.)

Based on testing of similar products and/or the

components.

INHALATION TOXICITY Not applicable -- harmful concentration

of mist and/or vapours are unlikely to be encountered through any customary

or reasonably foreseeable handling, use

or misuse of this product.

EYE IRRITATION Practically non-irritating, (Draize score:

greater than 6 but 15 of less)

SKIN IRRITATION Practically non-irritating, (Primary irritation

index: greater than 0.5 but less than 3)

OTHER ACUTE

TOXICITY DATA

The acute toxicological results summarised

above are based on testing of representative Silverhook products. Representative Silverhook

formulations have shown no acute effects, administered via the inhalation route, when tested at maximum attainable

oil or mist vapour concentrations.

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE AND EFFECTS

Acute LC/EC50 Fish: Juvenile Rainbow Trout: Practically non-toxic--

Based on testing of similar products.

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: Product is suitable for burning in an enclosed

controlled burner for fuel value or disposal by supervised incineration. Such as burning may be limited by the controlling authority. In addition, the product is suitable for processing by an approved recycling facility or can be disposed of at any licensed disposal site. Use of these methods is subject to user compliance with applicable laws and regulations and consideration of product characteristics at time

of disposal.

14 TRANSPORT INFORMATION

USA DOT:

IMO:

NOT REGULATED BY USA DOT.

NOT REGULATED BY IMO.

NOT REGULATED BY IATA.

15. REGULATORY INFORMATION

CLASSIFICATION ACCORDING TO EEC DIRECTIVES CLASSIFICATION SYMBOL IRRITANT / Xi

LABEL NAME: ZINC DIAKLY DITHIOPHOSPHATE

NATURE OF RISK: R 36 IRRITATING TO EYES

R 43 MAY CAUSE SENSITISATION BY SKIN

CONTACT

SAFETY ADVICE S 24 AVOID CONTACT WITH SKIN IN CASE OF

CONTACT WITH EYES, RINSE IMMEDIATELY WITH PLENTY OF WATER AND SEEK MEDICAL

ADVICE.

S 37 WEAR SUITABLE GLOVES

16. OTHER INFORMATION

THIS PRODUCT CONTAINS - ZINC DIAKLY DITHIOPHOSPHATE (ZDDP)
THIS PRODUCT SHOULD NOT BE HEATED ABOVE 70 DEG CENTIGRADE BECAUSE
HIGHER TEMPERATURES CAN RESULT IN EXOTHERMIC DECOMPOSITION OF THE
ZDDP RELEASING HIGHLY TOXIC HYDROGEN SULPHATE AND POSSIBLE ODOROUS
ALKYL MERCAPTANS PRODUCT SHOULD BE STORED AT TEMPERATURES BELOW 50
DEG C TO AVOID DEGRADATION OF PRODUCT QUALITY.

THIS INFORMATION RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED AND MAY NOT BE VALID FOR SUCH MATERIAL USED IN COMBINATION WITH ANY OTHER MATERIALS OR IN ANY PROCESS. SUCH INFORMATION IS TO THE BEST OF THE COMPANY'S KNOWLEDGE AND BELIEF ACCURATE AND RELIABLE AS OF THE DATE INDICATED. HOWEVER, NO REPRESENTATION, WARRANTY OR GUARANTEE IS MADE AS TO ITS ACCURACY, RELIABILITY OR COMPLETENESS. IT IS THE USER'S RESPONSIBILITY TO SATISFY HIMSELF AS THE SUITABILITY AND COMPLETENESS OF SUCH INFORMATION FOR HIS OWN PARTICULAR USE.